

型番	サイズ(mm)	温度特性	公差	静電容量	定格電圧
CC0201BRNPO8BN1R5	0603	NPO	±0.1pF	1.5pF	25V
CC0201BRNPO8BN2R2	0603	NPO	±0.1pF	2.2pF	25V
CC0201BRNPO9BN1R0	0603	NPO	±0.1pF	1.0pF	50V
CC0201BRNPO9BN1R2	0603	NPO	±0.1pF	1.2pF	50V
CC0201BRNPO9BN1R5	0603	NPO	±0.1pF	1.5pF	50V
CC0201BRNPO9BN1R8	0603	NPO	±0.1pF	1.8pF	50V
CC0201BRNPO9BN2R0	0603	NPO	±0.1pF	2.0pF	50V
CC0201BRNPO9BN2R2	0603	NPO	±0.1pF	2.2pF	50V
CC0201BRNPO9BN2R7	0603	NPO	±0.1pF	2.7pF	50V
CC0201BRNPO9BN3R0	0603	NPO	±0.1pF	3.0pF	50V
CC0201BRNPO9BN3R3	0603	NPO	±0.1pF	3.3pF	50V
CC0201BRNPO9BN3R9	0603	NPO	±0.1pF	3.9pF	50V
CC0201BRNPO9BNR30	0603	NPO	±0.1pF	.30pF	50V
CC0201BRNPO9BNR70	0603	NPO	±0.1pF	.70pF	50V
CC0201CRNPO8BN1R0	0603	NPO	±0.25pF	1.0pF	25V
CC0201CRNPO8BN1R2	0603	NPO	±0.25pF	1.2pF	25V
CC0201CRNPO8BN1R5	0603	NPO	±0.25pF	1.5pF	25V
CC0201CRNPO8BN1R8	0603	NPO	±0.25pF	1.8pF	25V
CC0201CRNPO8BN2R0	0603	NPO	±0.25pF	2.0pF	25V
CC0201CRNPO8BN2R2	0603	NPO	±0.25pF	2.2pF	25V
CC0201CRNPO8BN2R7	0603	NPO	±0.25pF	2.7pF	25V
CC0201CRNPO8BN3R3	0603	NPO	±0.25pF	3.3pF	25V
CC0201CRNPO8BN3R9	0603	NPO	±0.25pF	3.9pF	25V
CC0201CRNPO8BN4R7	0603	NPO	±0.25pF	4.7pF	25V
CC0201CRNPO8BN5R6	0603	NPO	±0.25pF	5.6pF	25V
CC0201CRNPO8BN6R0	0603	NPO	±0.25pF	6.0pF	25V
CC0201CRNPO8BN6R8	0603	NPO	±0.25pF	6.8pF	25V
CC0201CRNPO8BNR50	0603	NPO	±0.25pF	.50pF	25V
CC0201CRNPO8BNR75	0603	NPO	±0.25pF	.75pF	25V
CC0201CRNPO9BN1R0	0603	NPO	±0.25pF	1.0pF	50V
CC0201CRNPO9BN1R2	0603	NPO	±0.25pF	1.2pF	50V
CC0201CRNPO9BN1R5	0603	NPO	±0.25pF	1.5pF	50V
CC0201CRNPO9BN1R8	0603	NPO	±0.25pF	1.8pF	50V
CC0201CRNPO9BN2R2	0603	NPO	±0.25pF	2.2pF	50V
CC0201CRNPO9BN2R7	0603	NPO	±0.25pF	2.7pF	50V
CC0201CRNPO9BN3R0	0603	NPO	±0.25pF	3.0pF	50V
CC0201CRNPO9BN3R3	0603	NPO	±0.25pF	3.3pF	50V
CC0201CRNPO9BN3R6	0603	NPO	±0.25pF	3.6pF	50V

型番	サイズ(mm)	温度特性	公差	静電容量	定格電圧
CC0201CRNPO9BN3R9	0603	NPO	±0.25pF	3.9pF	50V
CC0201CRNPO9BN4R7	0603	NPO	±0.25pF	4.7pF	50V
CC0201CRNPO9BN5R0	0603	NPO	±0.25pF	5.0pF	50V
CC0201CRNPO9BN5R6	0603	NPO	±0.25pF	5.6pF	50V
CC0201CRNPO9BN6R0	0603	NPO	±0.25pF	6.0pF	50V
CC0201CRNPO9BN6R2	0603	NPO	±0.25pF	6.2pF	50V
CC0201CRNPO9BN6R8	0603	NPO	±0.25pF	6.8pF	50V
CC0201CRNPO9BN8R2	0603	NPO	±0.25pF	8.2pF	50V
CC0201CRNPO9BNR30	0603	NPO	±0.25pF	.30pF	50V
CC0201CRNPO9BNR50	0603	NPO	±0.25pF	.50pF	50V
CC0201DRNPO8BN6R8	0603	NPO	±0.5pF	6.8pF	25V
CC0201DRNPO8BN8R2	0603	NPO	±0.5pF	8.2pF	25V
CC0201DRNPO9BN5R6	0603	NPO	±0.5pF	5.6pF	50V
CC0201DRNPO9BN8R2	0603	NPO	±0.5pF	8.2pF	50V
CC0201FRNPO9BN220	0603	NPO	±1%	22pF	50V
CC0201GRNPO9BN220	0603	NPO	±2%	22pF	50V
CC0201JRNPO8BN100	0603	NPO	±5%	10pF	25V
CC0201JRNPO8BN120	0603	NPO	±5%	12pF	25V
CC0201JRNPO8BN180	0603	NPO	±5%	18pF	25V
CC0201JRNPO8BN200	0603	NPO	±5%	20pF	25V
CC0201JRNPO8BN220	0603	NPO	±5%	22pF	25V
CC0201JRNPO8BN470	0603	NPO	±5%	47pF	25V
CC0201JRNPO8BN680	0603	NPO	±5%	68pF	25V
CC0201JRNPO9BN100	0603	NPO	±5%	10pF	50V
CC0201JRNPO9BN101	0603	NPO	±5%	100pF	50V
CC0201JRNPO9BN150	0603	NPO	±5%	15pF	50V
CC0201JRNPO9BN390	0603	NPO	±5%	39pF	50V
CC0201JRNPO9BN680	0603	NPO	±5%	68pF	50V
CC0201JRX7R7BB222	0603	X7R	±5%	2.2nF	16V
CC0201JRX7R9BB471	0603	X7R	±5%	470pF	50V
CC0201KRX5R5BB103	0603	X5R	±10%	10nF	6.3V
CC0201KRX5R5BB104	0603	X5R	±10%	100nF	6.3V
CC0201KRX5R5BB153	0603	X5R	±10%	15nF	6.3V
CC0201KRX5R5BB183	0603	X5R	±10%	18nF	6.3V
CC0201KRX5R5BB474	0603	X5R	±10%	470nF	6.3V
CC0201KRX5R6BB103	0603	X5R	±10%	10nF	10V
CC0201KRX5R7BB103	0603	X5R	±10%	10nF	16V
CC0201KRX5R7BB104	0603	X5R	±10%	100nF	16V

型番	サイズ(mm)	温度特性	公差	静電容量	定格電圧
CC0201KRX5R8BB102	0603	X5R	±10%	1nF	25V
CC0201KRX5R8BB682	0603	X5R	±10%	6.8nF	25V
CC0201KRX7R5BB102	0603	X7R	±10%	1nF	6.3V
CC0201KRX7R5BB103	0603	X7R	±10%	10nF	6.3V
CC0201KRX7R5BB222	0603	X7R	±10%	2.2nF	6.3V
CC0201KRX7R5BB472	0603	X7R	±10%	4.7nF	6.3V
CC0201KRX7R5BB682	0603	X7R	±10%	6.8nF	6.3V
CC0201KRX7R6BB103	0603	X7R	±10%	10nF	10V
CC0201KRX7R6BB472	0603	X7R	±10%	4.7nF	10V
CC0201KRX7R6BB682	0603	X7R	±10%	6.8nF	10V
CC0201KRX7R7BB152	0603	X7R	±10%	1.5nF	16V
CC0201KRX7R7BB222	0603	X7R	±10%	2.2nF	16V
CC0201KRX7R7BB471	0603	X7R	±10%	470pF	16V
CC0201KRX7R7BB562	0603	X7R	±10%	5.6nF	16V
CC0201KRX7R8BB102	0603	X7R	±10%	1nF	25V
CC0201KRX7R8BB103	0603	X7R	±10%	10nF	25V
CC0201KRX7R8BB121	0603	X7R	±10%	120pF	25V
CC0201KRX7R8BB181	0603	X7R	±10%	180pF	25V
CC0201KRX7R8BB221	0603	X7R	±10%	220pF	25V
CC0201KRX7R8BB222	0603	X7R	±10%	2.2nF	25V
CC0201KRX7R8BB472	0603	X7R	±10%	4.7nF	25V
CC0201KRX7R8BB561	0603	X7R	±10%	560pF	25V
CC0201KRX7R9BB102	0603	X7R	±10%	1nF	50V
CC0201KRX7R9BB121	0603	X7R	±10%	120pF	50V
CC0201KRX7R9BB151	0603	X7R	±10%	150pF	50V
CC0201KRX7R9BB331	0603	X7R	±10%	330pF	50V
CC0201KRX7R9BB471	0603	X7R	±10%	470pF	50V
CC0201MRX5R5BB105	0603	X5R	±20%	1uF	6.3V
CC0201MRX5R5BB225	0603	X5R	±20%	2.2uF	6.3V
CC0201MRX5R5BB474	0603	X5R	±20%	470nF	6.3V
CC0201MRX5R6BB105	0603	X5R	±20%	1uF	10V
CC0402BRNPO9BN1R0	1005	NPO	±0.1pF	1.0pF	50V
CC0402BRNPO9BN1R1	1005	NPO	±0.1pF	1.1pF	50V
CC0402BRNPO9BN1R2	1005	NPO	±0.1pF	1.2pF	50V
CC0402BRNPO9BN1R5	1005	NPO	±0.1pF	1.5pF	50V
CC0402BRNPO9BN1R8	1005	NPO	±0.1pF	1.8pF	50V
CC0402BRNPO9BN2R0	1005	NPO	±0.1pF	2.0pF	50V
CC0402BRNPO9BN2R2	1005	NPO	±0.1pF	2.2pF	50V

型番	サイズ(mm)	温度特性	公差	静電容量	定格電圧
CC0402BRNPO9BN2R5	1005	NPO	±0.1pF	2.5pF	50V
CC0402BRNPO9BN2R7	1005	NPO	±0.1pF	2.7pF	50V
CC0402BRNPO9BN3R0	1005	NPO	±0.1pF	3.0pF	50V
CC0402BRNPO9BN3R3	1005	NPO	±0.1pF	3.3pF	50V
CC0402BRNPO9BN3R6	1005	NPO	±0.1pF	3.6pF	50V
CC0402BRNPO9BN3R9	1005	NPO	±0.1pF	3.9pF	50V
CC0402BRNPO9BN4R0	1005	NPO	±0.1pF	4.0pF	50V
CC0402BRNPO9BN4R7	1005	NPO	±0.1pF	4.7pF	50V
CC0402BRNPO9BN5R0	1005	NPO	±0.1pF	5.0pF	50V
CC0402BRNPO9BN6R0	1005	NPO	±0.1pF	6.0pF	50V
CC0402BRNPO9BN6R8	1005	NPO	±0.1pF	6.8pF	50V
CC0402BRNPO9BN7R5	1005	NPO	±0.1pF	7.5pF	50V
CC0402BRNPO9BN8R0	1005	NPO	±0.1pF	8.0pF	50V
CC0402BRNPO9BN8R2	1005	NPO	±0.1pF	8.2pF	50V
CC0402BRNPO9BN9R0	1005	NPO	±0.1pF	9.0pF	50V
CC0402BRNPO9BNR60	1005	NPO	±0.1pF	.60pf	50V
CC0402BRNPO9BNR75	1005	NPO	±0.1pF	.75pf	50V
CC0402BRNPO9BNR82	1005	NPO	±0.1pF	.82pf	50V
CC0402BRNPO9BNR90	1005	NPO	±0.1pF	.90pf	50V
CC0402CRNPO9BN100	1005	NPO	±0.25pF	10pF	50V
CC0402CRNPO9BN1R0	1005	NPO	±0.25pF	1.0pF	50V
CC0402CRNPO9BN1R2	1005	NPO	±0.25pF	1.2pF	50V
CC0402CRNPO9BN1R3	1005	NPO	±0.25pF	1.3pF	50V
CC0402CRNPO9BN1R5	1005	NPO	±0.25pF	1.5pF	50V
CC0402CRNPO9BN1R6	1005	NPO	±0.25pF	1.6pF	50V
CC0402CRNPO9BN1R8	1005	NPO	±0.25pF	1.8pF	50V
CC0402CRNPO9BN2R0	1005	NPO	±0.25pF	2.0pF	50V
CC0402CRNPO9BN2R2	1005	NPO	±0.25pF	2.2pF	50V
CC0402CRNPO9BN2R4	1005	NPO	±0.25pF	2.4pF	50V
CC0402CRNPO9BN2R7	1005	NPO	±0.25pF	2.7pF	50V
CC0402CRNPO9BN3R0	1005	NPO	±0.25pF	3.0pF	50V
CC0402CRNPO9BN3R3	1005	NPO	±0.25pF	3.3pF	50V
CC0402CRNPO9BN3R9	1005	NPO	±0.25pF	3.9pF	50V
CC0402CRNPO9BN4R0	1005	NPO	±0.25pF	4.0pF	50V
CC0402CRNPO9BN4R7	1005	NPO	±0.25pF	4.7pF	50V
CC0402CRNPO9BN5R0	1005	NPO	±0.25pF	5.0pF	50V
CC0402CRNPO9BN5R1	1005	NPO	±0.25pF	5.1pF	50V
CC0402CRNPO9BN5R6	1005	NPO	±0.25pF	5.6pF	50V

型番	サイズ(mm)	温度特性	公差	静電容量	定格電圧
CC0402CRNPO9BN6R0	1005	NPO	±0.25pF	6.0pF	50V
CC0402CRNPO9BN6R2	1005	NPO	±0.25pF	6.2pF	50V
CC0402CRNPO9BN6R8	1005	NPO	±0.25pF	6.8pF	50V
CC0402CRNPO9BN7R0	1005	NPO	±0.25pF	7.0pF	50V
CC0402CRNPO9BN8R0	1005	NPO	±0.25pF	8.0pF	50V
CC0402CRNPO9BN8R2	1005	NPO	±0.25pF	8.2pF	50V
CC0402CRNPO9BNR50	1005	NPO	±0.25pF	.50pf	50V
CC0402CRNPO9BNR75	1005	NPO	±0.25pF	.75pf	50V
CC0402CRNPO9BNR80	1005	NPO	±0.25pF	.80pf	50V
CC0402CRNPO9BNR82	1005	NPO	±0.25pF	.82pf	50V
CC0402DRNPO9BN100	1005	NPO	±0.5pF	10pF	50V
CC0402DRNPO9BN5R0	1005	NPO	±0.5pF	5.0pF	50V
CC0402DRNPO9BN5R6	1005	NPO	±0.5pF	5.6pF	50V
CC0402DRNPO9BN6R0	1005	NPO	±0.5pF	6.0pF	50V
CC0402DRNPO9BN6R8	1005	NPO	±0.5pF	6.8pF	50V
CC0402DRNPO9BN7R0	1005	NPO	±0.5pF	7.0pF	50V
CC0402DRNPO9BN8R0	1005	NPO	±0.5pF	8.0pF	50V
CC0402DRNPO9BN9R0	1005	NPO	±0.5pF	9.0pF	50V
CC0402FRNPO9BN100	1005	NPO	±1%	10pF	50V
CC0402FRNPO9BN120	1005	NPO	±1%	12pF	50V
CC0402FRNPO9BN150	1005	NPO	±1%	15pF	50V
CC0402FRNPO9BN180	1005	NPO	±1%	18pF	50V
CC0402FRNPO9BN200	1005	NPO	±1%	20pF	50V
CC0402FRNPO9BN240	1005	NPO	±1%	24pF	50V
CC0402FRNPO9BN270	1005	NPO	±1%	27pF	50V
CC0402FRNPO9BN330	1005	NPO	±1%	33pF	50V
CC0402FRNPO9BN470	1005	NPO	±1%	47pF	50V
CC0402FRNPO9BN560	1005	NPO	±1%	56pF	50V
CC0402GRNPO9BN100	1005	NPO	±2%	10pF	50V
CC0402GRNPO9BN181	1005	NPO	±2%	180pF	50V
CC0402GRNPO9BN221	1005	NPO	±2%	220pF	50V
CC0402GRNPO9BN271	1005	NPO	±2%	270pF	50V
CC0402GRNPO9BN300	1005	NPO	±2%	30pF	50V
CC0402GRNPO9BN471	1005	NPO	±2%	470pF	50V
CC0402GRNPO9BN560	1005	NPO	±2%	56pF	50V
CC0402GRNPO9BN680	1005	NPO	±2%	68pF	50V
CC0402JRNPO0BN100	1005	NPO	±5%	10pF	100V
CC0402JRNPO0BN101	1005	NPO	±5%	100pF	100V

型番	サイズ(mm)	温度特性	公差	静電容量	定格電圧
CC0402JRNPO0BN220	1005	NPO	±5%	22pF	100V
CC0402JRNPO8BN101	1005	NPO	±5%	100pF	25V
CC0402JRNPO8BN221	1005	NPO	±5%	220pF	25V
CC0402JRNPO8BN680	1005	NPO	±5%	68pF	25V
CC0402JRNPO9BN100	1005	NPO	±5%	10pF	50V
CC0402JRNPO9BN111	1005	NPO	±5%	110pF	50V
CC0402JRNPO9BN120	1005	NPO	±5%	12pF	50V
CC0402JRNPO9BN121	1005	NPO	±5%	120pF	50V
CC0402JRNPO9BN150	1005	NPO	±5%	15pF	50V
CC0402JRNPO9BN151	1005	NPO	±5%	150pF	50V
CC0402JRNPO9BN180	1005	NPO	±5%	18pF	50V
CC0402JRNPO9BN181	1005	NPO	±5%	180pF	50V
CC0402JRNPO9BN200	1005	NPO	±5%	20pF	50V
CC0402JRNPO9BN220	1005	NPO	±5%	22pF	50V
CC0402JRNPO9BN221	1005	NPO	±5%	220pF	50V
CC0402JRNPO9BN240	1005	NPO	±5%	24pF	50V
CC0402JRNPO9BN250	1005	NPO	±5%	25pF	50V
CC0402JRNPO9BN270	1005	NPO	±5%	27pF	50V
CC0402JRNPO9BN300	1005	NPO	±5%	30pF	50V
CC0402JRNPO9BN330	1005	NPO	±5%	33pF	50V
CC0402JRNPO9BN331	1005	NPO	±5%	330pF	50V
CC0402JRNPO9BN391	1005	NPO	±5%	390pF	50V
CC0402JRNPO9BN470	1005	NPO	±5%	47pF	50V
CC0402JRNPO9BN471	1005	NPO	±5%	470pF	50V
CC0402JRNPO9BN510	1005	NPO	±5%	51pF	50V
CC0402JRNPO9BN560	1005	NPO	±5%	56pF	50V
CC0402JRNPO9BN620	1005	NPO	±5%	62pF	50V
CC0402JRNPO9BN680	1005	NPO	±5%	68pF	50V
CC0402JRNPO9BN750	1005	NPO	±5%	75pF	50V
CC0402JRNPO9BN820	1005	NPO	±5%	82pF	50V
CC0402JRX7R7BB103	1005	X7R	±5%	10nF	16V
CC0402JRX7R7BB333	1005	X7R	±5%	33nF	16V
CC0402JRX7R9BB102	1005	X7R	±5%	1nF	50V
CC0402JRX7R9BB103	1005	X7R	±5%	10nF	50V
CC0402JRX7R9BB152	1005	X7R	±5%	1.5nF	50V
CC0402JRX7R9BB182	1005	X7R	±5%	1.8nF	50V
CC0402JRX7R9BB222	1005	X7R	±5%	2.2nF	50V
CC0402JRX7R9BB331	1005	X7R	±5%	330pF	50V

型番	サイズ(mm)	温度特性	公差	静電容量	定格電圧
CC0402JRX7R9BB332	1005	X7R	±5%	3.3nF	50V
CC0402JRX7R9BB472	1005	X7R	±5%	4.7nF	50V
CC0402JRX7R9BB561	1005	X7R	±5%	560pF	50V
CC0402JRX7R9BB822	1005	X7R	±5%	8.2nF	50V
CC0402KPX7R7BB104	1005	X7R	±10%	100nF	16V
CC0402KRX5R5BB104	1005	X5R	±10%	100nF	6.3V
CC0402KRX5R5BB105	1005	X5R	±10%	1uF	6.3V
CC0402KRX5R5BB224	1005	X5R	±10%	220nF	6.3V
CC0402KRX5R5BB225	1005	X5R	±10%	2.2uF	6.3V
CC0402KRX5R5BB474	1005	X5R	±10%	470nF	6.3V
CC0402KRX5R5BB475	1005	X5R	±10%	4.7uF	6.3V
CC0402KRX5R6BB224	1005	X5R	±10%	220nF	10V
CC0402KRX5R6BB225	1005	X5R	±10%	2.2uF	10V
CC0402KRX5R6BB334	1005	X5R	±10%	330nF	10V
CC0402KRX5R6BB475	1005	X5R	±10%	4.7uF	10V
CC0402KRX5R6BB684	1005	X5R	±10%	680nF	10V
CC0402KRX5R7BB104	1005	X5R	±10%	100nF	16V
CC0402KRX5R7BB105	1005	X5R	±10%	1uF	16V
CC0402KRX5R7BB224	1005	X5R	±10%	220nF	16V
CC0402KRX5R7BB474	1005	X5R	±10%	470nF	16V
CC0402KRX5R8BB224	1005	X5R	±10%	220nF	25V
CC0402KRX5R8BB474	1005	X5R	±10%	470nF	25V
CC0402KRX5R9BB104	1005	X5R	±10%	100nF	50V
CC0402KRX6S5BB105	1005	X6S	±10%	1uF	6.3V
CC0402KRX7R0BB102	1005	X7R	±10%	1nF	100V
CC0402KRX7R6BB104	1005	X7R	±10%	100nF	10V
CC0402KRX7R6BB273	1005	X7R	±10%	27nF	10V
CC0402KRX7R6BB333	1005	X7R	±10%	33nF	10V
CC0402KRX7R6BB473	1005	X7R	±10%	47nF	10V
CC0402KRX7R7BB102	1005	X7R	±10%	1nF	16V
CC0402KRX7R7BB103	1005	X7R	±10%	10nF	16V
CC0402KRX7R7BB104	1005	X7R	±10%	100nF	16V
CC0402KRX7R7BB153	1005	X7R	±10%	15nF	16V
CC0402KRX7R7BB223	1005	X7R	±10%	22nF	16V
CC0402KRX7R7BB224	1005	X7R	±10%	220nF	16V
CC0402KRX7R7BB273	1005	X7R	±10%	27nF	16V
CC0402KRX7R7BB333	1005	X7R	±10%	33nF	16V
CC0402KRX7R7BB473	1005	X7R	±10%	47nF	16V

型番	サイズ(mm)	温度特性	公差	静電容量	定格電圧
CC0402KRX7R7BB563	1005	X7R	±10%	56nF	16V
CC0402KRX7R7BB683	1005	X7R	±10%	68nF	16V
CC0402KRX7R8BB102	1005	X7R	±10%	1nF	25V
CC0402KRX7R8BB103	1005	X7R	±10%	10nF	25V
CC0402KRX7R8BB104	1005	X7R	±10%	100nF	25V
CC0402KRX7R8BB153	1005	X7R	±10%	15nF	25V
CC0402KRX7R8BB223	1005	X7R	±10%	22nF	25V
CC0402KRX7R8BB273	1005	X7R	±10%	27nF	25V
CC0402KRX7R8BB332	1005	X7R	±10%	3.3nF	25V
CC0402KRX7R8BB333	1005	X7R	±10%	33nF	25V
CC0402KRX7R8BB472	1005	X7R	±10%	4.7nF	25V
CC0402KRX7R9BB101	1005	X7R	±10%	100pF	50V
CC0402KRX7R9BB102	1005	X7R	±10%	1nF	50V
CC0402KRX7R9BB103	1005	X7R	±10%	10nF	50V
CC0402KRX7R9BB104	1005	X7R	±10%	100nF	50V
CC0402KRX7R9BB121	1005	X7R	±10%	120pF	50V
CC0402KRX7R9BB122	1005	X7R	±10%	1.2nF	50V
CC0402KRX7R9BB151	1005	X7R	±10%	150pF	50V
CC0402KRX7R9BB153	1005	X7R	±10%	15nF	50V
CC0402KRX7R9BB181	1005	X7R	±10%	180pF	50V
CC0402KRX7R9BB182	1005	X7R	±10%	1.8nF	50V
CC0402KRX7R9BB183	1005	X7R	±10%	18nF	50V
CC0402KRX7R9BB201	1005	X7R	±10%	200pF	50V
CC0402KRX7R9BB221	1005	X7R	±10%	220pF	50V
CC0402KRX7R9BB222	1005	X7R	±10%	2.2nF	50V
CC0402KRX7R9BB223	1005	X7R	±10%	22nF	50V
CC0402KRX7R9BB271	1005	X7R	±10%	270pF	50V
CC0402KRX7R9BB272	1005	X7R	±10%	2.7nF	50V
CC0402KRX7R9BB331	1005	X7R	±10%	330pF	50V
CC0402KRX7R9BB332	1005	X7R	±10%	3.3nF	50V
CC0402KRX7R9BB391	1005	X7R	±10%	390pF	50V
CC0402KRX7R9BB392	1005	X7R	±10%	3.9nF	50V
CC0402KRX7R9BB471	1005	X7R	±10%	470pF	50V
CC0402KRX7R9BB472	1005	X7R	±10%	4.7nF	50V
CC0402KRX7R9BB561	1005	X7R	±10%	560pF	50V
CC0402KRX7R9BB681	1005	X7R	±10%	680pF	50V
CC0402KRX7R9BB682	1005	X7R	±10%	6.8nF	50V
CC0402KRX7R9BB821	1005	X7R	±10%	820pF	50V



型番	サイズ(mm)	温度特性	公差	静電容量	定格電圧
CC0402KRX7R9BB822	1005	X7R	±10%	8.2nF	50V
CC0402MRX5R4BB226	1005	X5R	±20%	22uF	4V
CC0402MRX5R5BB106	1005	X5R	±20%	10uF	6.3V
CC0402MRX5R5BB225	1005	X5R	±20%	2.2uF	6.3V
CC0402MRX5R5BB475	1005	X5R	±20%	4.7uF	6.3V
CC0402MRX5R6BB225	1005	X5R	±20%	2.2uF	10V
CC0402MRX5R6BB475	1005	X5R	±20%	4.7uF	10V
CC0402MRX5R7BB224	1005	X5R	±20%	220nF	16V
CC0402ZRY5V5BB105	1005	Y5V	-20% +80%	1uF	6.3V
CC0402ZRY5V6BB224	1005	Y5V	-20% +80%	220nF	10V
CC0402ZRY5V6BB474	1005	Y5V	-20% +80%	470nF	10V
CC0402ZRY5V7BB104	1005	Y5V	-20% +80%	100nF	16V
CC0402ZRY5V7BB473	1005	Y5V	-20% +80%	47nF	16V
CC0402ZRY5V8BB104	1005	Y5V	-20% +80%	100nF	25V
CC0603BRNPO9BN1R0	1608	NPO	±0.1pF	1.0pF	50V
CC0603BRNPO9BN1R5	1608	NPO	±0.1pF	1.5pF	50V
CC0603BRNPO9BN1R8	1608	NPO	±0.1pF	1.8pF	50V
CC0603BRNPO9BN2R0	1608	NPO	±0.1pF	2.0pF	50V
CC0603BRNPO9BN2R2	1608	NPO	±0.1pF	2.2pF	50V
CC0603BRNPO9BN2R4	1608	NPO	±0.1pF	2.4pF	50V
CC0603BRNPO9BN2R5	1608	NPO	±0.1pF	2.5pF	50V
CC0603BRNPO9BN2R7	1608	NPO	±0.1pF	2.7pF	50V
CC0603BRNPO9BN3R0	1608	NPO	±0.1pF	3.0pF	50V
CC0603BRNPO9BN3R3	1608	NPO	±0.1pF	3.3pF	50V
CC0603BRNPO9BN3R6	1608	NPO	±0.1pF	3.6pF	50V
CC0603BRNPO9BN3R9	1608	NPO	±0.1pF	3.9pF	50V
CC0603BRNPO9BN4R0	1608	NPO	±0.1pF	4.0pF	50V
CC0603BRNPO9BN4R7	1608	NPO	±0.1pF	4.7pF	50V
CC0603BRNPO9BN5R6	1608	NPO	±0.1pF	5.6pF	50V
CC0603BRNPO9BN8R0	1608	NPO	±0.1pF	8.0pF	50V
CC0603BRNPO9BN8R2	1608	NPO	±0.1pF	8.2pF	50V
CC0603BRNPO9BNR50	1608	NPO	±0.1pF	.50pf	50V
CC0603BRNPO9BNR75	1608	NPO	±0.1pF	.75pf	50V
CC0603BRNPO9BNR80	1608	NPO	±0.1pF	.80pf	50V
CC0603CRNPO9BN100	1608	NPO	±0.25pF	10pF	50V
CC0603CRNPO9BN1R2	1608	NPO	±0.25pF	1.2pF	50V
CC0603CRNPO9BN1R5	1608	NPO	±0.25pF	1.5pF	50V
CC0603CRNPO9BN1R8	1608	NPO	±0.25pF	1.8pF	50V

型番	サイズ(mm)	温度特性	公差	静電容量	定格電圧
CC0603CRNPO9BN2R2	1608	NPO	±0.25pF	2.2pF	50V
CC0603CRNPO9BN2R7	1608	NPO	±0.25pF	2.7pF	50V
CC0603CRNPO9BN3R3	1608	NPO	±0.25pF	3.3pF	50V
CC0603CRNPO9BN3R5	1608	NPO	±0.25pF	3.5pF	50V
CC0603CRNPO9BN4R0	1608	NPO	±0.25pF	4.0pF	50V
CC0603CRNPO9BN4R7	1608	NPO	±0.25pF	4.7pF	50V
CC0603CRNPO9BN5R0	1608	NPO	±0.25pF	5.0pF	50V
CC0603CRNPO9BN5R6	1608	NPO	±0.25pF	5.6pF	50V
CC0603CRNPO9BN6R0	1608	NPO	±0.25pF	6.0pF	50V
CC0603CRNPO9BN6R2	1608	NPO	±0.25pF	6.2pF	50V
CC0603CRNPO9BN6R8	1608	NPO	±0.25pF	6.8pF	50V
CC0603CRNPO9BN7R0	1608	NPO	±0.25pF	7.0pF	50V
CC0603CRNPO9BN8R2	1608	NPO	±0.25pF	8.2pF	50V
CC0603CRNPO9BN9R0	1608	NPO	±0.25pF	9.0pF	50V
CC0603CRNPO9BNR56	1608	NPO	±0.25pF	.56pf	50V
CC0603CRNPO9BNR75	1608	NPO	±0.25pF	.75pf	50V
CC0603DRNPO9BN100	1608	NPO	±0.5pF	10pF	50V
CC0603DRNPO9BN5R0	1608	NPO	±0.5pF	5.0pF	50V
CC0603DRNPO9BN6R8	1608	NPO	±0.5pF	6.8pF	50V
CC0603DRNPO9BN7R0	1608	NPO	±0.5pF	7.0pF	50V
CC0603DRNPO9BN8R0	1608	NPO	±0.5pF	8.0pF	50V
CC0603DRNPO9BN8R2	1608	NPO	±0.5pF	8.2pF	50V
CC0603DRNPO9BN9R0	1608	NPO	±0.5pF	9.0pF	50V
CC0603FRNPO0BN470	1608	NPO	±1%	47pF	100V
CC0603FRNPO9BN100	1608	NPO	±1%	10pF	50V
CC0603FRNPO9BN101	1608	NPO	±1%	100pF	50V
CC0603FRNPO9BN120	1608	NPO	±1%	12pF	50V
CC0603FRNPO9BN151	1608	NPO	±1%	150pF	50V
CC0603FRNPO9BN180	1608	NPO	±1%	18pF	50V
CC0603FRNPO9BN200	1608	NPO	±1%	20pF	50V
CC0603FRNPO9BN220	1608	NPO	±1%	22pF	50V
CC0603FRNPO9BN240	1608	NPO	±1%	24pF	50V
CC0603FRNPO9BN271	1608	NPO	±1%	270pF	50V
CC0603FRNPO9BN300	1608	NPO	±1%	30pF	50V
CC0603FRNPO9BN470	1608	NPO	±1%	47pF	50V
CC0603FRNPO9BN560	1608	NPO	±1%	56pF	50V
CC0603FRNPO9BN680	1608	NPO	±1%	68pF	50V
CC0603FRNPO9BN750	1608	NPO	±1%	75pF	50V

型番	サイズ(mm)	温度特性	公差	静電容量	定格電圧
CC0603GRNPO9BN100	1608	NPO	±2%	10pF	50V
CC0603GRNPO9BN101	1608	NPO	±2%	100pF	50V
CC0603GRNPO9BN102	1608	NPO	±2%	1nF	50V
CC0603GRNPO9BN120	1608	NPO	±2%	12pF	50V
CC0603GRNPO9BN121	1608	NPO	±2%	120pF	50V
CC0603GRNPO9BN151	1608	NPO	±2%	150pF	50V
CC0603GRNPO9BN180	1608	NPO	±2%	18pF	50V
CC0603GRNPO9BN200	1608	NPO	±2%	20pF	50V
CC0603GRNPO9BN201	1608	NPO	±2%	200pF	50V
CC0603GRNPO9BN220	1608	NPO	±2%	22pF	50V
CC0603GRNPO9BN221	1608	NPO	±2%	220pF	50V
CC0603GRNPO9BN271	1608	NPO	±2%	270pF	50V
CC0603GRNPO9BN300	1608	NPO	±2%	30pF	50V
CC0603GRNPO9BN330	1608	NPO	±2%	33pF	50V
CC0603GRNPO9BN331	1608	NPO	±2%	330pF	50V
CC0603GRNPO9BN360	1608	NPO	±2%	36pF	50V
CC0603GRNPO9BN390	1608	NPO	±2%	39pF	50V
CC0603GRNPO9BN510	1608	NPO	±2%	51pF	50V
CC0603GRNPO9BN560	1608	NPO	±2%	56pF	50V
CC0603GRNPO9BN561	1608	NPO	±2%	560pF	50V
CC0603GRNPO9BN620	1608	NPO	±2%	62pF	50V
CC0603GRNPO9BN621	1608	NPO	±2%	620pF	50V
CC0603GRNPO9BN680	1608	NPO	±2%	68pF	50V
CC0603GRNPO9BN681	1608	NPO	±2%	680pF	50V
CC0603GRNPO9BN750	1608	NPO	±2%	75pF	50V
CC0603GRNPO9BN820	1608	NPO	±2%	82pF	50V
CC0603GRNPO9BN910	1608	NPO	±2%	91pF	50V
CC0603JRNPO0BN100	1608	NPO	±5%	10pF	100V
CC0603JRNPO0BN101	1608	NPO	±5%	100pF	100V
CC0603JRNPO0BN102	1608	NPO	±5%	1nF	100V
CC0603JRNPO0BN150	1608	NPO	±5%	15pF	100V
CC0603JRNPO0BN180	1608	NPO	±5%	18pF	100V
CC0603JRNPO0BN200	1608	NPO	±5%	20pF	100V
CC0603JRNPO0BN221	1608	NPO	±5%	220pF	100V
CC0603JRNPO0BN270	1608	NPO	±5%	27pF	100V
CC0603JRNPO0BN300	1608	NPO	±5%	30pF	100V
CC0603JRNPO0BN330	1608	NPO	±5%	33pF	100V
CC0603JRNPO0BN470	1608	NPO	±5%	47pF	100V

型番	サイズ(mm)	温度特性	公差	静電容量	定格電圧
CC0603JRNPO0BN471	1608	NPO	±5%	470pF	100V
CC0603JRNPO0BN560	1608	NPO	±5%	56pF	100V
CC0603JRNPO0BN680	1608	NPO	±5%	68pF	100V
CC0603JRNPO0BN750	1608	NPO	±5%	75pF	100V
CC0603JRNPO9BN100	1608	NPO	±5%	10pF	50V
CC0603JRNPO9BN101	1608	NPO	±5%	100pF	50V
CC0603JRNPO9BN102	1608	NPO	±5%	1nF	50V
CC0603JRNPO9BN120	1608	NPO	±5%	12pF	50V
CC0603JRNPO9BN121	1608	NPO	±5%	120pF	50V
CC0603JRNPO9BN122	1608	NPO	±5%	1.2nF	50V
CC0603JRNPO9BN150	1608	NPO	±5%	15pF	50V
CC0603JRNPO9BN151	1608	NPO	±5%	150pF	50V
CC0603JRNPO9BN152	1608	NPO	±5%	1.5nF	50V
CC0603JRNPO9BN160	1608	NPO	±5%	16pF	50V
CC0603JRNPO9BN180	1608	NPO	±5%	18pF	50V
CC0603JRNPO9BN181	1608	NPO	±5%	180pF	50V
CC0603JRNPO9BN200	1608	NPO	±5%	20pF	50V
CC0603JRNPO9BN221	1608	NPO	±5%	220pF	50V
CC0603JRNPO9BN222	1608	NPO	±5%	2.2nF	50V
CC0603JRNPO9BN240	1608	NPO	±5%	24pF	50V
CC0603JRNPO9BN270	1608	NPO	±5%	27pF	50V
CC0603JRNPO9BN271	1608	NPO	±5%	270pF	50V
CC0603JRNPO9BN272	1608	NPO	±5%	2.7nF	50V
CC0603JRNPO9BN300	1608	NPO	±5%	30pF	50V
CC0603JRNPO9BN301	1608	NPO	±5%	300pF	50V
CC0603JRNPO9BN330	1608	NPO	±5%	33pF	50V
CC0603JRNPO9BN331	1608	NPO	±5%	330pF	50V
CC0603JRNPO9BN332	1608	NPO	±5%	3.3nF	50V
CC0603JRNPO9BN360	1608	NPO	±5%	36pF	50V
CC0603JRNPO9BN390	1608	NPO	±5%	39pF	50V
CC0603JRNPO9BN470	1608	NPO	±5%	47pF	50V
CC0603JRNPO9BN471	1608	NPO	±5%	470pF	50V
CC0603JRNPO9BN510	1608	NPO	±5%	51pF	50V
CC0603JRNPO9BN511	1608	NPO	±5%	510pF	50V
CC0603JRNPO9BN560	1608	NPO	±5%	56pF	50V
CC0603JRNPO9BN561	1608	NPO	±5%	560pF	50V
CC0603JRNPO9BN620	1608	NPO	±5%	62pF	50V
CC0603JRNPO9BN681	1608	NPO	±5%	680pF	50V

型番	サイズ(mm)	温度特性	公差	静電容量	定格電圧
CC0603JRNPO9BN750	1608	NPO	±5%	75pF	50V
CC0603JRNPO9BN751	1608	NPO	±5%	750pF	50V
CC0603JRNPO9BN820	1608	NPO	±5%	82pF	50V
CC0603JRNPO9BN821	1608	NPO	±5%	820pF	50V
CC0603JRNPOABN100	1608	NPO	±5%	10pF	200V
CC0603JRNPOABN101	1608	NPO	±5%	100pF	200V
CC0603JRNPOABN220	1608	NPO	±5%	22pF	200V
CC0603JRNPOABN471	1608	NPO	±5%	470pF	200V
CC0603JRNPOYBN100	1608	NPO	±5%	10pF	250V
CC0603JRNPOYBN101	1608	NPO	±5%	100pF	250V
CC0603JRNPOYBN391	1608	NPO	±5%	390pF	250V
CC0603JRX7R8BB104	1608	X7R	±5%	100nF	25V
CC0603JRX7R8BB224	1608	X7R	±5%	220nF	25V
CC0603JRX7R9BB102	1608	X7R	±5%	1nF	50V
CC0603JRX7R9BB103	1608	X7R	±5%	10nF	50V
CC0603JRX7R9BB104	1608	X7R	±5%	100nF	50V
CC0603JRX7R9BB222	1608	X7R	±5%	2.2nF	50V
CC0603JRX7R9BB223	1608	X7R	±5%	22nF	50V
CC0603JRX7R9BB273	1608	X7R	±5%	27nF	50V
CC0603JRX7R9BB333	1608	X7R	±5%	33nF	50V
CC0603JRX7R9BB471	1608	X7R	±5%	470pF	50V
CC0603JRX7R9BB472	1608	X7R	±5%	4.7nF	50V
CC0603JRX7R9BB562	1608	X7R	±5%	5.6nF	50V
CC0603KRX5R5BB105	1608	X5R	±10%	1uF	6.3V
CC0603KRX5R5BB106	1608	X5R	±10%	10uF	6.3V
CC0603KRX5R5BB225	1608	X5R	±10%	2.2uF	6.3V
CC0603KRX5R5BB475	1608	X5R	±10%	4.7uF	6.3V
CC0603KRX5R6BB105	1608	X5R	±10%	1uF	10V
CC0603KRX5R6BB106	1608	X5R	±10%	10uF	10V
CC0603KRX5R6BB225	1608	X5R	±10%	2.2uF	10V
CC0603KRX5R6BB475	1608	X5R	±10%	4.7uF	10V
CC0603KRX5R7BB105	1608	X5R	±10%	1uF	16V
CC0603KRX5R7BB225	1608	X5R	±10%	2.2uF	16V
CC0603KRX5R7BB474	1608	X5R	±10%	470nF	16V
CC0603KRX5R7BB475	1608	X5R	±10%	4.7uF	16V
CC0603KRX5R8BB105	1608	X5R	±10%	1uF	25V
CC0603KRX5R8BB225	1608	X5R	±10%	2.2uF	25V
CC0603KRX5R8BB334	1608	X5R	±10%	330nF	25V

型番	サイズ(mm)	温度特性	公差	静電容量	定格電圧
CC0603KRX5R8BB474	1608	X5R	±10%	470nF	25V
CC0603KRX5R8BB475	1608	X5R	±10%	4.7uF	25V
CC0603KRX5R8BB684	1608	X5R	±10%	680nF	25V
CC0603KRX5R9BB105	1608	X5R	±10%	1uF	50V
CC0603KRX5R9BB225	1608	X5R	±10%	2.2uF	50V
CC0603KRX5R9BB474	1608	X5R	±10%	470nF	50V
CC0603KRX7R0BB102	1608	X7R	±10%	1nF	100V
CC0603KRX7R0BB103	1608	X7R	±10%	10nF	100V
CC0603KRX7R0BB104	1608	X7R	±10%	100nF	100V
CC0603KRX7R0BB221	1608	X7R	±10%	220pF	100V
CC0603KRX7R0BB223	1608	X7R	±10%	22nF	100V
CC0603KRX7R0BB332	1608	X7R	±10%	3.3nF	100V
CC0603KRX7R0BB471	1608	X7R	±10%	470pF	100V
CC0603KRX7R0BB472	1608	X7R	±10%	4.7nF	100V
CC0603KRX7R0BB683	1608	X7R	±10%	68nF	100V
CC0603KRX7R6BB104	1608	X7R	±10%	100nF	10V
CC0603KRX7R6BB105	1608	X7R	±10%	1uF	10V
CC0603KRX7R6BB224	1608	X7R	±10%	220nF	10V
CC0603KRX7R6BB225	1608	X7R	±10%	2.2uF	10V
CC0603KRX7R6BB394	1608	X7R	±10%	390nF	10V
CC0603KRX7R6BB474	1608	X7R	±10%	470nF	10V
CC0603KRX7R7BB102	1608	X7R	±10%	1nF	16V
CC0603KRX7R7BB154	1608	X7R	±10%	150nF	16V
CC0603KRX7R7BB224	1608	X7R	±10%	220nF	16V
CC0603KRX7R7BB225	1608	X7R	±10%	2.2uF	16V
CC0603KRX7R7BB274	1608	X7R	±10%	270nF	16V
CC0603KRX7R7BB333	1608	X7R	±10%	33nF	16V
CC0603KRX7R7BB334	1608	X7R	±10%	330nF	16V
CC0603KRX7R7BB473	1608	X7R	±10%	47nF	16V
CC0603KRX7R7BB683	1608	X7R	±10%	68nF	16V
CC0603KRX7R7BB684	1608	X7R	±10%	680nF	16V
CC0603KRX7R8BB102	1608	X7R	±10%	1nF	25V
CC0603KRX7R8BB103	1608	X7R	±10%	10nF	25V
CC0603KRX7R8BB104	1608	X7R	±10%	100nF	25V
CC0603KRX7R8BB154	1608	X7R	±10%	150nF	25V
CC0603KRX7R8BB221	1608	X7R	±10%	220pF	25V
CC0603KRX7R8BB222	1608	X7R	±10%	2.2nF	25V
CC0603KRX7R8BB223	1608	X7R	±10%	22nF	25V

型番	サイズ(mm)	温度特性	公差	静電容量	定格電圧
CC0603KRX7R8BB224	1608	X7R	±10%	220nF	25V
CC0603KRX7R8BB333	1608	X7R	±10%	33nF	25V
CC0603KRX7R8BB472	1608	X7R	±10%	4.7nF	25V
CC0603KRX7R8BB473	1608	X7R	±10%	47nF	25V
CC0603KRX7R8BB563	1608	X7R	±10%	56nF	25V
CC0603KRX7R8BB683	1608	X7R	±10%	68nF	25V
CC0603KRX7R9BB101	1608	X7R	±10%	100pF	50V
CC0603KRX7R9BB102	1608	X7R	±10%	1nF	50V
CC0603KRX7R9BB104	1608	X7R	±10%	100nF	50V
CC0603KRX7R9BB123	1608	X7R	±10%	12nF	50V
CC0603KRX7R9BB151	1608	X7R	±10%	150pF	50V
CC0603KRX7R9BB152	1608	X7R	±10%	1.5nF	50V
CC0603KRX7R9BB154	1608	X7R	±10%	150nF	50V
CC0603KRX7R9BB182	1608	X7R	±10%	1.8nF	50V
CC0603KRX7R9BB183	1608	X7R	±10%	18nF	50V
CC0603KRX7R9BB201	1608	X7R	±10%	200pF	50V
CC0603KRX7R9BB221	1608	X7R	±10%	220pF	50V
CC0603KRX7R9BB223	1608	X7R	±10%	22nF	50V
CC0603KRX7R9BB224	1608	X7R	±10%	220nF	50V
CC0603KRX7R9BB271	1608	X7R	±10%	270pF	50V
CC0603KRX7R9BB272	1608	X7R	±10%	2.7nF	50V
CC0603KRX7R9BB273	1608	X7R	±10%	27nF	50V
CC0603KRX7R9BB301	1608	X7R	±10%	300pF	50V
CC0603KRX7R9BB331	1608	X7R	±10%	330pF	50V
CC0603KRX7R9BB332	1608	X7R	±10%	3.3nF	50V
CC0603KRX7R9BB333	1608	X7R	±10%	33nF	50V
CC0603KRX7R9BB361	1608	X7R	±10%	360pF	50V
CC0603KRX7R9BB392	1608	X7R	±10%	3.9nF	50V
CC0603KRX7R9BB471	1608	X7R	±10%	470pF	50V
CC0603KRX7R9BB472	1608	X7R	±10%	4.7nF	50V
CC0603KRX7R9BB473	1608	X7R	±10%	47nF	50V
CC0603KRX7R9BB561	1608	X7R	±10%	560pF	50V
CC0603KRX7R9BB562	1608	X7R	±10%	5.6nF	50V
CC0603KRX7R9BB563	1608	X7R	±10%	56nF	50V
CC0603KRX7R9BB681	1608	X7R	±10%	680pF	50V
CC0603KRX7R9BB682	1608	X7R	±10%	6.8nF	50V
CC0603KRX7R9BB683	1608	X7R	±10%	68nF	50V
CC0603KRX7R9BB751	1608	X7R	±10%	750pF	50V

型番	サイズ(mm)	温度特性	公差	静電容量	定格電圧
CC0603KRX7R9BB821	1608	X7R	±10%	820pF	50V
CC0603KRX7R9BB822	1608	X7R	±10%	8.2nF	50V
CC0603KRX7R9BB823	1608	X7R	±10%	82nF	50V
CC0603KRX7RABB102	1608	X7R	±10%	1nF	200V
CC0603KRX7RABB221	1608	X7R	±10%	220pF	200V
CC0603KRX7RABB472	1608	X7R	±10%	4.7nF	200V
CC0603KRX7RYBB102	1608	X7R	±10%	1nF	250V
CC0603KRX7RYBB471	1608	X7R	±10%	470pF	250V
CC0603KRX7RYBB681	1608	X7R	±10%	680pF	250V
CC0603MRX5R5BB106	1608	X5R	±20%	10uF	6.3V
CC0603MRX5R5BB226	1608	X5R	±20%	22uF	6.3V
CC0603MRX5R6BB106	1608	X5R	±20%	10uF	10V
CC0603MRX5R6BB226	1608	X5R	±20%	22uF	10V
CC0603MRX5R7BB106	1608	X5R	±20%	10uF	16V
CC0603ZRY5V5BB475	1608	Y5V	-20% +80%	4.7uF	6.3V
CC0603ZRY5V6BB105	1608	Y5V	-20% +80%	1uF	10V
CC0603ZRY5V6BB225	1608	Y5V	-20% +80%	2.2uF	10V
CC0603ZRY5V6BB475	1608	Y5V	-20% +80%	4.7uF	10V
CC0603ZRY5V6BB684	1608	Y5V	-20% +80%	680nF	10V
CC0603ZRY5V7BB224	1608	Y5V	-20% +80%	220nF	16V
CC0603ZRY5V7BB225	1608	Y5V	-20% +80%	2.2uF	16V
CC0603ZRY5V7BB474	1608	Y5V	-20% +80%	470nF	16V
CC0603ZRY5V8BB104	1608	Y5V	-20% +80%	100nF	25V
CC0603ZRY5V8BB105	1608	Y5V	-20% +80%	1uF	25V
CC0603ZRY5V8BB224	1608	Y5V	-20% +80%	220nF	25V
CC0603ZRY5V8BB334	1608	Y5V	-20% +80%	330nF	25V
CC0603ZRY5V9BB224	1608	Y5V	-20% +80%	220nF	50V
CC0805CRNPO9BN1R8	2012	NPO	±0.25pF	1.8pF	50V
CC0805CRNPO9BN3R3	2012	NPO	±0.25pF	3.3pF	50V
CC0805CRNPO9BN3R9	2012	NPO	±0.25pF	3.9pF	50V
CC0805CRNPO9BN4R7	2012	NPO	±0.25pF	4.7pF	50V
CC0805CRNPO9BN5R0	2012	NPO	±0.25pF	5.0pF	50V
CC0805CRNPO9BN5R6	2012	NPO	±0.25pF	5.6pF	50V
CC0805CRNPO9BN8R2	2012	NPO	±0.25pF	8.2pF	50V
CC0805DRNPO9BN6R8	2012	NPO	±0.5pF	6.8pF	50V
CC0805DRNPO9BN8R0	2012	NPO	±0.5pF	8.0pF	50V
CC0805GKNPO9BN222	2012	NPO	±2%	2.2nF	50V
CC0805GRNPO9BN102	2012	NPO	±2%	1nF	50V



型番	サイズ(mm)	温度特性	公差	静電容量	定格電圧
CC0805GRNPO9BN121	2012	NPO	±2%	120pF	50V
CC0805GRNPO9BN470	2012	NPO	±2%	47pF	50V
CC0805GRNPO9BN471	2012	NPO	±2%	470pF	50V
CC0805JKNPO0BN332	2012	NPO	±5%	3.3nF	100V
CC0805JKNPO0BN472	2012	NPO	±5%	4.7nF	100V
CC0805JKNPO9BN222	2012	NPO	±5%	2.2nF	50V
CC0805JKNPO9BN472	2012	NPO	±5%	4.7nF	50V
CC0805JRNPO0BN100	2012	NPO	±5%	10pF	100V
CC0805JRNPO0BN102	2012	NPO	±5%	1nF	100V
CC0805JRNPO0BN200	2012	NPO	±5%	20pF	100V
CC0805JRNPO0BN331	2012	NPO	±5%	330pF	100V
CC0805JRNPO0BN471	2012	NPO	±5%	470pF	100V
CC0805JRNPO0BN560	2012	NPO	±5%	56pF	100V
CC0805JRNPO0BN681	2012	NPO	±5%	680pF	100V
CC0805JRNPO0BN821	2012	NPO	±5%	820pF	100V
CC0805JRNPO9BN100	2012	NPO	±5%	10pF	50V
CC0805JRNPO9BN101	2012	NPO	±5%	100pF	50V
CC0805JRNPO9BN102	2012	NPO	±5%	1nF	50V
CC0805JRNPO9BN120	2012	NPO	±5%	12pF	50V
CC0805JRNPO9BN121	2012	NPO	±5%	120pF	50V
CC0805JRNPO9BN122	2012	NPO	±5%	1.2nF	50V
CC0805JRNPO9BN150	2012	NPO	±5%	15pF	50V
CC0805JRNPO9BN151	2012	NPO	±5%	150pF	50V
CC0805JRNPO9BN152	2012	NPO	±5%	1.5nF	50V
CC0805JRNPO9BN180	2012	NPO	±5%	18pF	50V
CC0805JRNPO9BN200	2012	NPO	±5%	20pF	50V
CC0805JRNPO9BN220	2012	NPO	±5%	22pF	50V
CC0805JRNPO9BN221	2012	NPO	±5%	220pF	50V
CC0805JRNPO9BN270	2012	NPO	±5%	27pF	50V
CC0805JRNPO9BN271	2012	NPO	±5%	270pF	50V
CC0805JRNPO9BN300	2012	NPO	±5%	30pF	50V
CC0805JRNPO9BN330	2012	NPO	±5%	33pF	50V
CC0805JRNPO9BN331	2012	NPO	±5%	330pF	50V
CC0805JRNPO9BN390	2012	NPO	±5%	39pF	50V
CC0805JRNPO9BN470	2012	NPO	±5%	47pF	50V
CC0805JRNPO9BN471	2012	NPO	±5%	470pF	50V
CC0805JRNPO9BN510	2012	NPO	±5%	51pF	50V
CC0805JRNPO9BN560	2012	NPO	±5%	56pF	50V

型番	サイズ(mm)	温度特性	公差	静電容量	定格電圧
CC0805JRNPO9BN561	2012	NPO	±5%	560pF	50V
CC0805JRNPO9BN680	2012	NPO	±5%	68pF	50V
CC0805JRNPO9BN681	2012	NPO	±5%	680pF	50V
CC0805JRNPO9BN821	2012	NPO	±5%	820pF	50V
CC0805JRNPOABN101	2012	NPO	±5%	100pF	200V
CC0805JRNPOBBN101	2012	NPO	±5%	100pF	500V
CC0805JRNPOBBN121	2012	NPO	±5%	120pF	500V
CC0805JRNPOBBN150	2012	NPO	±5%	15pF	500V
CC0805JRNPOBBN180	2012	NPO	±5%	18pF	500V
CC0805JRNPOBBN220	2012	NPO	±5%	22pF	500V
CC0805JRNPOBBN330	2012	NPO	±5%	33pF	500V
CC0805JRNPOBBN471	2012	NPO	±5%	470pF	500V
CC0805JRNPOYBN101	2012	NPO	±5%	100pF	250V
CC0805JRNPOYBN221	2012	NPO	±5%	220pF	250V
CC0805JRNPOYBN471	2012	NPO	±5%	470pF	250V
CC0805JRX7R0BB102	2012	X7R	±5%	1nF	100V
CC0805JRX7R0BB472	2012	X7R	±5%	4.7nF	100V
CC0805JRX7R9BB102	2012	X7R	±5%	1nF	50V
CC0805JRX7R9BB103	2012	X7R	±5%	10nF	50V
CC0805JRX7R9BB104	2012	X7R	±5%	100nF	50V
CC0805JRX7R9BB123	2012	X7R	±5%	12nF	50V
CC0805JRX7R9BB152	2012	X7R	±5%	1.5nF	50V
CC0805JRX7R9BB273	2012	X7R	±5%	27nF	50V
CC0805JRX7R9BB333	2012	X7R	±5%	33nF	50V
CC0805JRX7R9BB472	2012	X7R	±5%	4.7nF	50V
CC0805JRX7R9BB473	2012	X7R	±5%	47nF	50V
CC0805JRX7R9BB683	2012	X7R	±5%	68nF	50V
CC0805JRX7RABB102	2012	X7R	±5%	1nF	200V
CC0805KKX5R5BB106	2012	X5R	±10%	10uF	6.3V
CC0805KKX5R5BB226	2012	X5R	±10%	22uF	6.3V
CC0805KKX5R6BB106	2012	X5R	±10%	10uF	10V
CC0805KKX5R7BB106	2012	X5R	±10%	10uF	16V
CC0805KKX5R7BB475	2012	X5R	±10%	4.7uF	16V
CC0805KKX5R8BB105	2012	X5R	±10%	1uF	25V
CC0805KKX5R8BB106	2012	X5R	±10%	10uF	25V
CC0805KKX5R8BB225	2012	X5R	±10%	2.2uF	25V
CC0805KKX5R8BB475	2012	X5R	±10%	4.7uF	25V
CC0805KKX5R9BB225	2012	X5R	±10%	2.2uF	50V

型番	サイズ(mm)	温度特性	公差	静電容量	定格電圧
CC0805KKX5R9BB475	2012	X5R	±10%	4.7uF	50V
CC0805KKX7R0BB104	2012	X7R	±10%	100nF	100V
CC0805KKX7R0BB333	2012	X7R	±10%	33nF	100V
CC0805KKX7R6BB105	2012	X7R	±10%	1uF	10V
CC0805KKX7R6BB225	2012	X7R	±10%	2.2uF	10V
CC0805KKX7R6BB475	2012	X7R	±10%	4.7uF	10V
CC0805KKX7R7BB105	2012	X7R	±10%	1uF	16V
CC0805KKX7R7BB225	2012	X7R	±10%	2.2uF	16V
CC0805KKX7R7BB474	2012	X7R	±10%	470nF	16V
CC0805KKX7R7BB475	2012	X7R	±10%	4.7uF	16V
CC0805KKX7R7BB684	2012	X7R	±10%	680nF	16V
CC0805KKX7R8BB105	2012	X7R	±10%	1uF	25V
CC0805KKX7R8BB225	2012	X7R	±10%	2.2uF	25V
CC0805KKX7R8BB334	2012	X7R	±10%	330nF	定格電圧
CC0805KKX7R8BB474	2012	X7R	±10%	470nF	25V
CC0805KKX7R8BB475	2012	X7R	±10%	4.7uF	25V
CC0805KKX7R8BB684	2012	X7R	±10%	680nF	25V
CC0805KKX7R9BB224	2012	X7R	±10%	220nF	50V
CC0805KKX7R9BB334	2012	X7R	±10%	330nF	50V
CC0805KKX7R9BB474	2012	X7R	±10%	470nF	50V
CC0805KKX7R9BB684	2012	X7R	±10%	680nF	50V
CC0805KKX7RYBB103	2012	X7R	±10%	10nF	250V
CC0805KKX7RYBB223	2012	X7R	±10%	22nF	250V
CC0805KRX5R5BB106	2012	X5R	±10%	10uF	6.3V
CC0805KRX5R6BB106	2012	X5R	±10%	10uF	10V
CC0805KRX5R6BB225	2012	X5R	±10%	2.2uF	10V
CC0805KRX5R7BB225	2012	X5R	±10%	2.2uF	16V
CC0805KRX7R0BB103	2012	X7R	±10%	10nF	100V
CC0805KRX7R0BB123	2012	X7R	±10%	12nF	100V
CC0805KRX7R0BB221	2012	X7R	±10%	220pF	100V
CC0805KRX7R0BB222	2012	X7R	±10%	2.2nF	100V
CC0805KRX7R0BB223	2012	X7R	±10%	22nF	100V
CC0805KRX7R0BB471	2012	X7R	±10%	470pF	100V
CC0805KRX7R0BB472	2012	X7R	±10%	4.7nF	100V
CC0805KRX7R0BB682	2012	X7R	±10%	6.8nF	100V
CC0805KRX7R7BB224	2012	X7R	±10%	220nF	16V
CC0805KRX7R8BB103	2012	X7R	±10%	10nF	25V
CC0805KRX7R8BB154	2012	X7R	±10%	150nF	25V

型番	サイズ(mm)	温度特性	公差	静電容量	定格電圧
CC0805KRX7R8BB224	2012	X7R	±10%	220nF	25V
CC0805KRX7R8BB473	2012	X7R	±10%	47nF	25V
CC0805KRX7R9BB101	2012	X7R	±10%	100pF	50V
CC0805KRX7R9BB102	2012	X7R	±10%	1nF	50V
CC0805KRX7R9BB103	2012	X7R	±10%	10nF	50V
CC0805KRX7R9BB104	2012	X7R	±10%	100nF	50V
CC0805KRX7R9BB122	2012	X7R	±10%	1.2nF	50V
CC0805KRX7R9BB151	2012	X7R	±10%	150pF	50V
CC0805KRX7R9BB152	2012	X7R	±10%	1.5nF	50V
CC0805KRX7R9BB153	2012	X7R	±10%	15nF	50V
CC0805KRX7R9BB154	2012	X7R	±10%	150nF	50V
CC0805KRX7R9BB201	2012	X7R	±10%	200pF	50V
CC0805KRX7R9BB202	2012	X7R	±10%	2nF	50V
CC0805KRX7R9BB221	2012	X7R	±10%	220pF	50V
CC0805KRX7R9BB223	2012	X7R	±10%	22nF	50V
CC0805KRX7R9BB272	2012	X7R	±10%	2.7nF	50V
CC0805KRX7R9BB273	2012	X7R	±10%	27nF	50V
CC0805KRX7R9BB331	2012	X7R	±10%	330pF	50V
CC0805KRX7R9BB332	2012	X7R	±10%	3.3nF	50V
CC0805KRX7R9BB333	2012	X7R	±10%	33nF	50V
CC0805KRX7R9BB392	2012	X7R	±10%	3.9nF	50V
CC0805KRX7R9BB393	2012	X7R	±10%	39nF	50V
CC0805KRX7R9BB471	2012	X7R	±10%	470pF	50V
CC0805KRX7R9BB472	2012	X7R	±10%	4.7nF	50V
CC0805KRX7R9BB473	2012	X7R	±10%	47nF	50V
CC0805KRX7R9BB561	2012	X7R	±10%	560pF	50V
CC0805KRX7R9BB562	2012	X7R	±10%	5.6nF	50V
CC0805KRX7R9BB563	2012	X7R	±10%	56nF	50V
CC0805KRX7R9BB681	2012	X7R	±10%	680pF	50V
CC0805KRX7R9BB682	2012	X7R	±10%	6.8nF	50V
CC0805KRX7R9BB683	2012	X7R	±10%	68nF	50V
CC0805KRX7R9BB821	2012	X7R	±10%	820pF	50V
CC0805KRX7R9BB822	2012	X7R	±10%	8.2nF	50V
CC0805KRX7R9BB823	2012	X7R	±10%	82nF	50V
CC0805KRX7RABB222	2012	X7R	±10%	2.2nF	200V
CC0805KRX7RABB471	2012	X7R	±10%	470pF	200V
CC0805KRX7RBBB221	2012	X7R	±10%	220pF	500V
CC0805KRX7RBBB331	2012	X7R	±10%	330pF	500V

型番	サイズ(mm)	温度特性	公差	静電容量	定格電圧
CC0805KRX7RYBB102	2012	X7R	±10%	1nF	250V
CC0805KRX7RYBB222	2012	X7R	±10%	2.2nF	250V
CC0805MKX5R5BB106	2012	X5R	±20%	10uF	6.3V
CC0805MKX5R5BB226	2012	X5R	±20%	22uF	6.3V
CC0805MKX5R5BB476	2012	X5R	±20%	47uF	6.3V
CC0805MKX5R6BB106	2012	X5R	±20%	10uF	10V
CC0805MKX5R6BB226	2012	X5R	±20%	22uF	10V
CC0805MKX5R7BB226	2012	X5R	±20%	22uF	16V
CC0805MKX5R8BB226	2012	X5R	±20%	22uF	25V
CC0805MRX5R5BB226	2012	X5R	±20%	22uF	6.3V
CC0805ZKY5V5BB226	2012	Y5V	-20% +80%	22uF	6.3V
CC0805ZKY5V6BB106	2012	Y5V	-20% +80%	10uF	10V
CC0805ZKY5V6BB475	2012	Y5V	-20% +80%	4.7uF	10V
CC0805ZKY5V7BB106	2012	Y5V	-20% +80%	10uF	16V
CC0805ZKY5V7BB475	2012	Y5V	-20% +80%	4.7uF	16V
CC0805ZKY5V8BB225	2012	Y5V	-20% +80%	2.2uF	25V
CC0805ZKY5V9BB105	2012	Y5V	-20% +80%	1uF	50V
CC0805ZRY5V6BB475	2012	Y5V	-20% +80%	4.7uF	10V
CC0805ZRY5V7BB105	2012	Y5V	-20% +80%	1uF	16V
CC0805ZRY5V7BB225	2012	Y5V	-20% +80%	2.2uF	16V
CC0805ZRY5V9BB334	2012	Y5V	-20% +80%	330nF	50V
CC1206JKNPO0BN103	3216	NPO	±5%	10nF	100V
CC1206JKNPO9BN104	3216	NPO	±5%	100nF	50V
CC1206JKNPOCBN100	3216	NPO	±5%	10pF	1KV
CC1206JKNPOCBN101	3216	NPO	±5%	100pF	1KV
CC1206JKNPOCBN220	3216	NPO	±5%	22pF	1KV
CC1206JKNPOCBN271	3216	NPO	±5%	270pF	1KV
CC1206JKNPOCBN330	3216	NPO	±5%	33pF	1KV
CC1206JKNPOCBN331	3216	NPO	±5%	330pF	1KV
CC1206JKNPOCBN331G	3216	NPO	±5%	330pF	1KV
CC1206JKNPOCBN470	3216	NPO	±5%	47pF	1KV
CC1206JKNPOCBN560	3216	NPO	±5%	56pF	1KV
CC1206JKNPOCBN680	3216	NPO	±5%	68pF	1KV
CC1206JKNPOCBN821	3216	NPO	±5%	820pF	1KV
CC1206JKNPOZBN471G	3216	NPO	±5%	470pF	630V
CC1206JKNPOZBN681	3216	NPO	±5%	680pF	630V
CC1206JKX7R0BB104	3216	X7R	±5%	100nF	100V
CC1206JRNPO0BN102	3216	NPO	±5%	1nF	100V

型番	サイズ(mm)	温度特性	公差	静電容量	定格電圧
CC1206JRNPO0BN152	3216	NPO	±5%	1.5nF	100V
CC1206JRNPO9BN101	3216	NPO	±5%	100pF	50V
CC1206JRNPO9BN220	3216	NPO	±5%	22pF	50V
CC1206JRNPO9BN221	3216	NPO	±5%	220pF	50V
CC1206JRNPO9BN330	3216	NPO	±5%	33pF	50V
CC1206JRNPO9BN331	3216	NPO	±5%	330pF	50V
CC1206JRNPO9BN471	3216	NPO	±5%	470pF	50V
CC1206JRNPO9BN561	3216	NPO	±5%	560pF	50V
CC1206JRNPOABN390	3216	NPO	±5%	39pF	200V
CC1206JRNPOBBN331	3216	NPO	±5%	330pF	500V
CC1206JRNPOBBN820	3216	NPO	±5%	82pF	500V
CC1206JRX7R0BB103	3216	X7R	±5%	10nF	100V
CC1206JRX7R9BB103	3216	X7R	±5%	10nF	50V
CC1206JRX7RYBB103	3216	X7R	±5%	10nF	250V
CC1206KKX5R5BB226	3216	X5R	±10%	22uF	6.3V
CC1206KKX5R6BB106	3216	X5R	±10%	10uF	10V
CC1206KKX5R6BB226	3216	X5R	±10%	22uF	10V
CC1206KKX5R7BB106	3216	X5R	±10%	10uF	16V
CC1206KKX5R7BB226	3216	X5R	±10%	22uF	16V
CC1206KKX5R8BB106	3216	X5R	±10%	10uF	25V
CC1206KKX5R8BB226	3216	X5R	±10%	22uF	25V
CC1206KKX5R9BB475	3216	X5R	±10%	4.7uF	50V
CC1206KKX7R0BB474	3216	X7R	±10%	470nF	100V
CC1206KKX7R7BB225	3216	X7R	±10%	2.2uF	16V
CC1206KKX7R7BB684	3216	X7R	±10%	680nF	16V
CC1206KKX7R7BB824	3216	X7R	±10%	820nF	16V
CC1206KKX7R8BB105	3216	X7R	±10%	1uF	25V
CC1206KKX7R8BB106	3216	X7R	±10%	10uF	25V
CC1206KKX7R8BB225	3216	X7R	±10%	2.2uF	25V
CC1206KKX7R9BB105	3216	X7R	±10%	1uF	50V
CC1206KKX7R9BB224	3216	X7R	±10%	220nF	50V
CC1206KKX7R9BB474	3216	X7R	±10%	470nF	50V
CC1206KKX7R9BB475	3216	X7R	±10%	4.7uF	50V
CC1206KKX7R9BB684	3216	X7R	±10%	680nF	50V
CC1206KKX7RBBB103	3216	X7R	±10%	10nF	500V
CC1206KKX7RBBB152	3216	X7R	±10%	1.5nF	500V
CC1206KKX7RBBB332	3216	X7R	±10%	3.3nF	500V
CC1206KKX7RBBB682	3216	X7R	±10%	6.8nF	500V

型番	サイズ(mm)	温度特性	公差	静電容量	定格電圧
CC1206KKX7RCBB102	3216	X7R	±10%	1nF	1KV
CC1206KKX7RCBB221	3216	X7R	±10%	220pF	1KV
CC1206KKX7RCBB222	3216	X7R	±10%	2.2nF	1KV
CC1206KKX7RCBB331	3216	X7R	±10%	330pF	1KV
CC1206KKX7RCBB332	3216	X7R	±10%	3.3nF	1KV
CC1206KKX7RCBB471	3216	X7R	±10%	470pF	1KV
CC1206KKX7RCBB681	3216	X7R	±10%	680pF	1KV
CC1206KKX7RCBB682	3216	X7R	±10%	6.8nF	1KV
CC1206KKX7RDBB471	3216	X7R	±10%	470pF	2KV
CC1206KKX7RZBB103	3216	X7R	±10%	10nF	630V
CC1206KKX7RZBB221	3216	X7R	±10%	220pF	630V
CC1206KKX7RZBB333	3216	X7R	±10%	33nF	630V
CC1206KKX7RZBB682	3216	X7R	±10%	6.8nF	630V
CC1206KRX7R0BB102	3216	X7R	±10%	1nF	100V
CC1206KRX7R0BB473	3216	X7R	±10%	47nF	100V
CC1206KRX7R8BB104	3216	X7R	±10%	100nF	25V
CC1206KRX7R9BB102	3216	X7R	±10%	1nF	50V
CC1206KRX7R9BB103	3216	X7R	±10%	10nF	50V
CC1206KRX7R9BB104	3216	X7R	±10%	100nF	50V
CC1206KRX7R9BB221	3216	X7R	±10%	220pF	50V
CC1206KRX7R9BB222	3216	X7R	±10%	2.2nF	50V
CC1206KRX7R9BB223	3216	X7R	±10%	22nF	50V
CC1206KRX7R9BB331	3216	X7R	±10%	330pF	50V
CC1206KRX7R9BB332	3216	X7R	±10%	3.3nF	50V
CC1206KRX7R9BB333	3216	X7R	±10%	33nF	50V
CC1206KRX7R9BB334	3216	X7R	±10%	330nF	50V
CC1206KRX7R9BB471	3216	X7R	±10%	470pF	50V
CC1206KRX7R9BB472	3216	X7R	±10%	4.7nF	50V
CC1206KRX7R9BB473	3216	X7R	±10%	47nF	50V
CC1206KRX7R9BB683	3216	X7R	±10%	68nF	50V
CC1206KRX7RABB102	3216	X7R	±10%	1nF	200V
CC1206KRX7RABB471	3216	X7R	±10%	470pF	200V
CC1206KRX7RABB472	3216	X7R	±10%	4.7nF	200V
CC1206KRX7RYBB332	3216	X7R	±10%	3.3nF	250V
CC1206MKX5R5BB476	3216	X5R	±20%	47uF	6.3V
CC1206MKX5R6BB476	3216	X5R	±20%	47uF	10V
CC1206MKX5R7BB226	3216	X5R	±20%	22uF	16V
CC1206ZKY5V7BB106	3216	Y5V	-20% +80%	10uF	16V

型番	サイズ(mm)	温度特性	公差	静電容量	定格電圧
CC1206ZKY5V8BB106	3216	Y5V	-20% +80%	10uF	25V
CC1206ZKY5V9BB225	3216	Y5V	-20% +80%	2.2uF	50V
CC1206ZRY5V6BB106	3216	Y5V	-20% +80%	10uF	10V
CC1206ZRY5V8BB105	3216	Y5V	-20% +80%	1uF	25V
CC1206ZRY5V8BB474	3216	Y5V	-20% +80%	470nF	25V
CC1210JKNPO0BN471	3225	NPO	±5%	470pF	100V
CC1210JKNPOCBN471	3225	NPO	±5%	470pF	1KV
CC1210KKX5R6BB226	3225	X5R	±10%	22uF	10V
CC1210KKX5R7BB106	3225	X5R	±10%	10uF	16V
CC1210KKX5R8BB226	3225	X5R	±10%	22uF	25V
CC1210KKX7R0BB474	3225	X7R	±10%	470nF	100V
CC1210KKX7R8BB225	3225	X7R	±10%	2.2uF	25V
CC1210KKX7R8BB475	3225	X7R	±10%	4.7uF	25V
CC1210KKX7RCBB472	3225	X7R	±10%	4.7nF	1KV
CC1210MKX5R7BB106	3225	X5R	±20%	10uF	16V
CQ0201BRNPO8BN2R0	0603	NPO	±0.1pF	2.0pF	25V
CQ0201BRNPO8BNR40	0603	NPO	±0.1pF	.40pF	25V
CQ0201BRNPO8BNR70	0603	NPO	±0.1pF	.70pF	25V
CQ0402ARNPO9BN3R9	1005	NPO	±0.05pF	3.9pF	50V
CQ0402BRNPO9BN1R3	1005	NPO	±0.1pF	1.3pF	50V
CQ0402BRNPO9BN2R4	1005	NPO	±0.1pF	2.4pF	50V
CQ0402BRNPO9BN4R3	1005	NPO	±0.1pF	4.3pF	50V
CQ0402BRNPO9BNR40	1005	NPO	±0.1pF	.40pf	50V
CQ0402BRNPO9BNR60	1005	NPO	±0.1pF	.60pf	50V
CQ0402BRNPO9BNR70	1005	NPO	±0.1pF	.70pf	50V
CQ0402BRNPO9BNR90	1005	NPO	±0.1pF	.90pf	50V
CQ0402CRNPO9BN5R0	1005	NPO	±0.25pF	5.0pF	50V
CQ0402JRNPO9BN100	1005	NPO	±5%	10pF	50V
CQ0402JRNPO9BN180	1005	NPO	±5%	18pF	50V
CQ0402JRNPO9BN200	1005	NPO	±5%	20pF	50V
CQ0402JRNPO9BN270	1005	NPO	±5%	27pF	50V
CQ0402JRNPO9BN300	1005	NPO	±5%	30pF	50V
CQ0402JRNPO9BN330	1005	NPO	±5%	33pF	50V
CS0402JRNPO9BN101	1005	NPO	±5%	100pF	50V
CS0402JRNPO9BN330	1005	NPO	±5%	33pF	50V
CS0402KRX7R7BB104	1005	X7R	±10%	100nF	16V
CS0402KRX7R8BB104	1005	X7R	±10%	100nF	25V
CS0603KRX5R8BB105	1608	X5R	±10%	1uF	25V



型番	サイズ(mm)	温度特性	公差	静電容量	定格電圧
CS0603KRX7R0BB104	1608	X7R	±10%	100nF	100V
CS0603KRX7R7BB105	1608	X7R	±10%	1uF	16V
CS0603KRX7R8BB104	1608	X7R	±10%	100nF	25V
CS0603KRX7R8BB474	1608	X7R	±10%	470nF	25V
CS0603KRX7R9BB102	1608	X7R	±10%	1nF	50V
CS0603KRX7R9BB104	1608	X7R	±10%	100nF	50V
CS0603KRX7R9BB333	1608	X7R	±10%	33nF	50V
CS0805KKX7R7BB225	2012	X7R	±10%	2.2uF	16V
CS0805KKX7R8BB105	2012	X7R	±10%	1uF	25V
CS0805KRX7R9BB104	2012	X7R	±10%	100nF	50V
CS0805KRX7RBBB102	2012	X7R	±10%	1nF	500V
CS0805KRX7RYBB222	2012	X7R	±10%	2.2nF	250V
CS1206KKX7RDBB102	3216	X7R	±10%	1nF	2KV
CS1206KKX7RZBB103	3216	X7R	±10%	10nF	630V